


 CHROMATIC | SHADES

600x1200mm

COLLECTION 2021



A photograph of a person's shadow cast on a sandy beach near the water's edge. The shadow is long and dark, stretching from the water towards the foreground. The water is a mix of blue and green, with gentle ripples. The sand is light-colored with some darker spots and small pebbles.

INSPIRATION

 CHROMATIC | SHADES


THE ART OF INTERPRETING COLORS WITH CERAMICS

600x1200mm

Tilesphere brings a grand collection of tiles that are available in various sizes. These tiles are designed to create grand urban spaces with their incredible designs and exceptional styles. The 600x1200mm slabs add an

elegant appeal to the decor of the space. They enhance the interior style with their fascinating and contemporary designs and give a space a clean and flawless look.

FINISHES + SIZE



IDEAL FAT

The slabs by tilephere provide the ideal size that can be installed in all types of big and small places. These tiles are designed keeping in mind the requirements of modern interior design style.



CUSTOMIZATION


The slabs by tilesphere are easy to customise making them perfectly fit for different applications and spaces.



EASY INSTALLATION

tilephere breaks the myth of large-sized tiles being difficult to install with its mega-sized slabs that are super easy to handle and install.

600x
1200mm



7 COLORS



APPLICATIONS + FEATURES

The Chromatic Collection expresses the exceptional charm of colours in a strong way through dominant shades of tiles. The 7 shades of this collection are designed to amplify the ambience

of a space with their magnetism. These tiles bring life into the interior of the space and refurbish the decor creating a place that everyone desires.



APPLICATION AREAS



Kitchen and bathroom furniture



Interior Design And Furnishings



Airport Terminals



Spa Centres



Residential Spaces



Commercial Buildings



Industrial



Schools



Hotels



Offices



Shops

TILES FEATURES



Lightweight Easily Handled Slabs



Resistance To Deep Abrasion



Resistant To Thermal Shock



Resistance To Acids And Bases



Does Not Absorb Liquids



Frost Resistance



Fire Resistance



Easy Cleaning



Stain Resistance



Easy To Install



Hygienic



CLOUD ANGEL

Size
600x1200mm

Finish
**CHROMATIC
HIGH GLOSS**

Random
5





WALL — **CLOUD ANGEL**, 600x1200mm




CLOUD CLASSIC

Size
600x1200mm

Finish
CHROMATIC
HIGH GLOSS

Random
5





WALL — **CLOUD CLASSIC**, 600x1200mm



CLOUD CRUSH

Size
600x1200mm

Finish
CHROMATIC
HIGH GLOSS

Random
5





WALL & FLOOR — **CLOUD CRUSH**, 600x1200mm



CLOUD FOREST

Size
600x1200mm

Finish
CHROMATIC
HIGH GLOSS

Random
5





WALL — **CLOUD FOREST**, 600x1200mm



CLOUD FOSSIL

Size
600x1200mm

Finish
**CHROMATIC
HIGH GLOSS**

Random
5





WALL & FLOOR — **CLOUD FOSSIL**, 600x1200mm



CLOUD STREAM

Size
600x1200mm

Finish
**CHROMATIC
HIGH GLOSS**

Random
5





WALL — **CLOUD STREAM**, 600x1200mm



CLOUD WILLOW

Size
600x1200mm


Finish
CHROMATIC
HIGH GLOSS

Random
5





WALL & FLOOR — **CLOUD WILLOW**, 600x1200mm





CLOUD OPACO ANGEL

Size
600x1200mm

Finish
**CHRMATIC
GRANULA MATT**

Random
5





WALL & FLOOR — **CLOUD OPACO ANGEL**, 600x1200mm





CLOUD OPACO CLASSIC

Size
600x1200mm

Finish
**CHRMATIC
GRANULA MATT**

Random
5





FLOOR — **CLOUD OPACO CLASSIC**, 600x1200mm





CLOUD OPACO CRUSH

Size
600x1200mm


Finish
**CHRMATIC
GRANULA MATT**

Random
5





WALL & FLOOR — **CLOUD OPACO CRUSH**, 600x1200mm



**CLOUD
OPACO
FOREST**

Size
600x1200mm

Finish
**CHRMATIC
GRANULA MATT**

Random
5





FLOOR — **CLOUD OPACO FOREST**, 600x1200mm



**CLOUD
OPACO
FOSSIL**

Size
600x1200mm


Finish
**CHRMATIC
GRANULA MATT**

Random
5





FLOOR — **CLOUD OPACO FOSSIL**, 600x1200mm



**CLOUD
OPACO
STREAM**

Size
600x1200mm


Finish
**CHRMATIC
GRANULA MATT**

Random
5





FLOOR — **CLOUD OPACO STREAM**, 600x1200mm




CLOUD OPACO WILLOW

Size
600x1200mm

Finish
**CHRMATIC
GRANULA MATT**

Random
5





WALL & FLOOR — **CLOUD OPACO WILLOW**, 600x1200mm

Technical Specification

CHARACTERISTIC	INTERNATIONAL STANDARD ISO13006:2012/EN14411 Group BIa	MEAN VALUE OF SIMERO	TEST METHOD
Dimension & Surface Quality			
length	± 0.60 %	± 0.10 %	ISO 10545-2
Thickness	± 5.00 %	± 3.00 %	ISO 10545-2
Straightness in side	± 0.50 %	± 0.10 %	ISO 10545-2
Rectangularity	± 0.50 %	± 0.10 %	ISO 10545-2
Surface flatness	± 0.50 %	± 0.510 %	ISO 10545-2
Surface quality	Declared by Manu.	95~105 %	ISO 2813(Gloss Meter)
Glossiness (only Polished Products)	Min. 95% Tile Should Be Free From Defects	Min. 98% Tile Should Be Free From Defects	ISO 10545-2
Physical Characteristics			
Water absorption	E ≤ 0.5 %	E ≤ 0.5 %	ISO 10545-3
MOH'S hardness	≤ 6	≤ 6	ISO 10545-3
Moisture expansion	Nil	Nil	ISO 10545-10
Abrasion resistance	Declared by Manu.	Pei 3~5 (Declared on product)	ISO 10545-7
Mechanical Characteristics			
Flexural strength(MOR)	≥ 35N/mm ² (350kg/cm ²)	≥ 37N/mm ² (370kg/cm ²)	ISO 10545-4
Breaking strength	1300 Newton	2000 Newton	ISO 10545-4
Impact resistance	Declared by Manu.	No indentation or cracking	ISO 10545-5
Safety Characteristics			
Skid resistance(Dynamic Friction Coefficient)	≥ 0.4	≥ 0.4	ISO 10545-17
Density	≥ 2.0 gm/cc	≥ 2.3 gm/cc	DIN 51082
Thermo Photo Characteristics			
Thermal shock resistance	Resistant to 10 cycles	Pass Min. 10 cycles	ISO 10545-9
Frost resistance	Frost Proof	Need to comply with the standard	ISO 10545-12
Coefficient of Linear thermal Expansion	9x10 ⁻⁶ K-1	<5.86x10 ⁻⁶ K-1	ISO 10545-8
Color resistance to UV light	Resistant	Resistant	ISO 10545-16
Chemical Characteristics			
Chemical resistance: House Hold Chemicals & Swimming Pool Salts	Min. Class - GB	Confirm to Classes - GA	ISO 10545-13
Chemical resistance: Low Concentrations Acids & Alkalis	Min. Class - GIB	Confirm to Classes - GIA	ISO 10545-13
Chemical resistance: High Concentrations Acids & Alkalis	Min. Class - GHB	Confirm to Classes - GHA	ISO 10545-13
Stain resistance	Min. Class - 3	Min. Confirm to Class - 4	ISO 10545-14

Packing Details

DIMENSION(MM)	600x1200mm
SLAB / BOX	2 pcs
COVERAGE AREA / BOX	1.44 sq. mtr.
WEIGHT / BOX (APPROX)	28.5 kg



MIDC Industrial Area, Navi Mumbai
Maharashtra, India 400706

Customer Service.: +91 88408 66196
Sales.: +1 (573) 340-6951

Inquiry.: Office@Tilesphere.com
www.Tilesphere.com