


| Forever Series

800x1600mm

COLLECTION 2021





INSPIRATION

| Forever Series

HARMONY WITH NATURE

800x1600mm

Inspired by the harmony of nature, Tilesphere brings an exceptional collection of tiles with the Forever Series. The warm and welcoming shades of the tiles of these series are enhanced by the fine quality of

raw material used to manufacture them. This series has an edge with a touch of lavish allure that makes every space come to life.

FINISH + SIZE



GRANULA MATT



IDEAL FORMAT

The slabs by tilesphere provide the ideal size that can be installed in all types of big and small places. These tiles are designed keeping in mind the requirements of modern interior design style.



CUSTOMIZATION

The slabs by tilesphere are easy to customise making them perfectly fit for different applications and spaces.



EASY INSTALLATION

tilesphere breaks the myth of large-sized tiles being difficult to install with its mega-sized slabs that are super easy to handle and install.

800x
1600mm



7 COLORS

FOREVER BIANCO



FOREVER IVORY

FOREVER AVORIO

FOREVER BEIGE

FOREVER GRIGIO

FOREVER NERO

FOREVER OLIVE



APPLICATIONS + FEATURES

The Forever series is a beautiful amalgamation of 7 timeless and sophisticated shades of tiles available in 800x1600mm size. The tiles of this series are crafted to achieve perfection when it

comes to contemporary interior style. The seamless feel and serene aura gained by these tiles create a luxurious ambience for a place.



APPLICATION AREAS



Kitchen and
bathroom
furniture



Interior
Design And
Furnishings



Airport
Terminals



Spa
Centres



Residential
Spaces



Commercial
Buildings



Industrial



Schools



Hotels



Offices



Shops

TILES FEATURES



Lightweight
Easily
Handled
Slabs



Resistance
To Deep
Abrasion



Resistant
To Thermal
Shock



Resistance
To Acids
And Bases



Does Not
Absorb
Liquids




Frost
Resistance



Fire
Resistance



Easy
Cleaning



Stain
Resistance



Easy To
Install



Hygienic



FOREVER AVORIO

Size
800x1600mm

Finish
GRANULA MATT

Random
3





FLOOR — **FOREVER AVORIO**, 800x1600mm



FOREVER BEIGE

Size
800x1600mm

Finish
GRANULA MATT

Random
3





WALL — **FOREVER BEIGE**, 800x1600mm



FOREVER BIANCO

Size
800x1600mm


Finish
GRANULA MATT

Random
3





WALL & FLOOR — **FOREVER BIANCO**, 800x1600mm



FOREVER GRIGIO

Size
800x1600mm

Finish
GRANULA MATT

Random
3





WALL & FLOOR — **FOREVER GRIGIO**, 800x1600mm




FOREVER NERO

Size
800x1600mm


Finish
GRANULA MATT

Random
3





WALL & FLOOR — **FOREVER NERO**, 800x1600mm



FOREVER IVORY

Size
800x1600mm

Finish
GRANULA MATT

Random
3





WALL & FLOOR — **FOREVER IVORY**, 800x1600mm



FOREVER OLIVE

Size
800x1600mm

Finish
GRANULA MATT

Random
3





WALL — **FOREVER OLIVE**, 800x1600mm

Technical Specification

CHARACTERISTIC	INTERNATIONAL STANDARD ISO13006:2012/EN14411 Group B1a	MEAN VALUE	TEST METHOD
Dimension & Surface Quality			
length	± 0.60 %	± 0.10 %	ISO 10545-2
Thickness	± 5.00 %	± 3.00 %	ISO 10545-2
Straightness in side	± 0.50 %	± 0.10 %	ISO 10545-2
Rectangularity	± 0.50 %	± 0.10 %	ISO 10545-2
Surface flatness	± 0.50 %	± 0.510 %	ISO 10545-2
Surface quality	Declared by Manu.	95~105 %	ISO 2813(Gloss Meter)
Glossiness (only Polished Products)	Min. 95% Tile Should Be Free From Defects	Min. 98% Tile Should Be Free From Defects	ISO 10545-2
Physical Characteristics			
Water absorption	E ≤ 0.5 %	E ≤ 0.5 %	ISO 10545-3
MOH’S hardness	≤ 6	≤ 6	ISO 10545-3
Moisture expansion	Nil	Nil	ISO 10545-10
Abrasion resistance	Declared by Manu.	Pei 3~5 (Declared on product)	ISO 10545-7
Mechanical Characteristics			
Flexural strength(MOR)	≥ 35N/mm ² (350kg/cm ²)	≥ 37N/mm ² (370kg/cm ²)	ISO 10545-4
Breaking strength	1300 Newton	2000 Newton	ISO 10545-4
Impact resistance	Declared by Manu.	No indentation or cracking	ISO 10545-5
Safety Characteristics			
Skid resistance(Dynamic Friction Coefficient)	≥ 0.4	≥ 0.4	ISO 10545-17
Density	≥ 2.0 gm/cc	≥ 2.3 gm/cc	DIN 51082
Thermo Photo Characteristics			
Thermal shock resistance	Resistant to 10 cycles	Pass Min. 10 cycles	ISO 10545-9
Frost resistance	Frost Proof	Need to comply with the standard	ISO 10545-12
Coefficient of Linear thermal Expansion	9x10 ⁻⁶ K-1	<5.86x10 ⁻⁶ K-1	ISO 10545-8
Color resistance to UV light	Resistant	Resistant	ISO 10545-16
Chemical Characteristics			
Chemical resistance: House Hold Chemicals & Swimming Pool Salts	Min. Class - GB	Confirm to Classes - GA	ISO 10545-13
Chemical resistance: Low Concentrations Acids & Alkalis	Min. Class - GIB	Confirm to Classes - GIA	ISO 10545-13
Chemical resistance: High Concentrations Acids & Alkalis	Min. Class - GHB	Confirm to Classes - GHA	ISO 10545-13
Stain resistance	Min. Class - 3	Min. Confirm to Class - 4	ISO 10545-14

Packing Details

DIMENSION(MM)	800x1600mm
SLAB / BOX	2 pcs
COVERAGE AREA / BOX	2.56 sq. mtr.
WEIGHT / BOX (APPROX)	54 kg



MIDC Industrial Area, Navi Mumbai
Maharashtra, India 400706

Customer Service.: +91 88408 66196
Sales.: +1 (573) 340-6951

Inquiry.: Office@Tilesphere.com
www.Tilesphere.com